

Tech specs

BASELINE

Internal battery NB (7.2V/95Ah)

Pack of 10 LTC ER34615-LD non-rechargeable batteries to install into Hub BP Jeweller



Device compatibility

Check

Battery type

Batteries

10 × ER34615

Non-rechargeable, lithium thionyl chloride battery with HPC-1520 pulse capacitor.

Nominal voltage

7.2 V_{DC}

Capacity

95 Ah

At a current consumption of 10 mA (with **Battery power saver** mode enabled), at a temperature of 25 °C , and with the battery properly placed inside the hub casing.

Power supply

Maximum load current

700 mA

End-of-life battery voltage

4 V_{DC}

Recommendations

Do not short the power terminals.

Do not recharge the battery.

Use the battery with compatible devices only.

The battery is designed for indoor use only.

Enclosure

Dimensions

135 × 65 × 105 mm

Weight

990 g

Battery connector type

Molex 2139-2

Operating temperature range

from -10 °C to +40 °C

Operating humidity

up to 75%




Complete set


Internal battery NB (7.2V/95Ah)

Additional information

[Compliance with standards](#)

[User manual](#)

[Learn more](#) 

[Learn more](#) 

Warranty

24 months

[Learn more](#) 


Subscribe


Subscribe to our emails about secure life. No spam.

[Subscribe](#)

Request extra help

 support@ajax.systems

 [@AjaxSystemsSupport_Bot](#)

 [Send a request](#)


 Trustpilot



Rating 4.8

4,000,000

people worldwide under Ajax protection

 [Suggest a feature](#)



Products

Intrusion protection

Video surveillance

Fire and life safety

Software

For users

[Ajax PRO: Tool for Engineers](#)

[Ajax Desktop](#)

Comfort and automation

All products

Services

System integrations

Ajax Ready products

Fibra wired protocol

Ajax radio protocols

Solutions

Customer stories

Solutions by facility type

Commercial fire detection and alarm system

Wireless Grade 3 solution

Upgrades and retrofits

Why Ajax

How it works

Company

Blog

About us

Press page

Events

Career

Ajax Next

Students at CES 2026

Reviews and feedback

Ajax PRO Desktop

Ajax Translator PRO

Ajax Cloud Signaling

Scenarios



Available on
App Store



Available on
Google Play

Support

Manuals and articles

Compliance with standards

Tools

Ajax device compatibility

Video storage calculator

Video device calculator

Battery life calculator

Radio communication range calculator

Switches and outlets configurator

Fibra power supply calculator

All web tools

Monitoring solutions and integrations

Intrusion alarm monitoring

Video monitoring and visual alarm verification

Audio alarm verification

For partners

For partners

Ajax Academy

Partner Portal

 [España](#) [Privacy policy](#) [Report a vulnerability](#) [GDPR White Paper](#) [NDAA Statement](#) [Cookie policy](#)

[Anti-Spam Policy](#) [End user agreement](#) [Warranty](#)

© 2026 AJAX SYSTEMS CH. All rights reserved